

UNCLASSIFIED

AD 4 3 9 3 1 5

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

64-13

M 77-61-78

439315

⑨ Quarterly ~~14~~ REPORT ON no. 2, 1 F. 6 - 3 A. 1. 1. 1.

⑩ CONTRACT NO DA 92 / 557 E FEB 1, 1962 35675

INCLUSIVE DATES February 1, 1962 TO April 30, 1962

AC No. 1
DDC FILE COPY

SUBJECT OF INVESTIGATION

⑪ EXPLORATION OF NEW CHEMOTHERAPEUTICS

FOR

INFECTIOUS DISEASES

RESPONSIBLE INVESTIGATOR

⑫ by Dr. Tojo Hata, M.D.

President

Kitasato Institute for Infectious

Diseases

Head of Antibiotic Division of

the said Institute

⑬ 178 810

12/12/62 10:30 AM

U.S. Army Research & Development Group (9852) (Far East)

Office of the Chief of Research and Development

United States Army

APO 343

4 3 9 3 1 5

D-I-S-T-R-I-B-U-T-I-O-N

The distribution of this report as made by USA R&D Gp (FE) (9984) is as follows:

Army Research Office, OC RD, Washington 25, D. C.	(3)
Surgeon, Hq USARJ, APO 343 CO, 406th Medical General Laboratory, USAMCJ, APO 343	(1)
Scientific Attache, American Embassy, Tokyo, Japan	(1)
Army Attache, American Embassy, Tokyo, Japan	(1)

EXPLORATION OF NEW CHEMOTHERAPEUTICS
FOR
INFECTIOUS DISEASES

Fundamental Studies on Protomycin, an Antiamoebic
Antibiotic and Cephalomycin, an Antiviral Anti-
biotic


Toju Hata,
Ryozo Sugawara, Akihiro Matsumae
and
Hirosi Yamamoto

Kitasato Institute
for
Infectious Diseases


Tokyo, Japan




1. Protomycin

In the preceding quarterly report, we have proposed the structure for photomycin.










To prove this structure, an acid obtained by the following sequence of reactions remained still to be identified:





The corresponding acid ester was synthesized by the following sequence of reactions:





Although mixed melting point of the products (I) and (II) was 55-56° C at several different proportions and their infrared spectra were almost identical each other except three absorption bands, we undertook the resolution of racemate (II) into optically active components. While the experiment is still under construction, we obtained a fraction with M.P. 62-63° C from (II) with (M.P. 72-73° C).

2. Cephalomyces

Cephalomyoin was separated into fractions by the chromatography on DEAE-cellulose. The most active component eluted with 0.4% NaOH was assayed for amino acid constitution by DNP method. The result was as follows:

Amino Acids	Molar ratio	Amino Acids	Molar ratio
valine &			
leucine	2.7	proline	4.8
alanine	1.45	arginine	?
serine	0.95	histidine	?
glutamic &		methionine	?
aspartic acid	4.9	phenylalanine	0.54
threonine	0.90	glycine	1.25
cystine	0.02		

Protomycin was treated with pronase, a proteolytic enzyme selectively acting on L-amino acid moiety, to evaluate liberated amino acids. Because the protomycin is quantitatively hydrolysed with pronase, D-amino acid was supposed not to exist. Glycine, alanine, serine and threonine were detected as N-terminal groups by DNP-method.